

Be sure to keep your piers plumb. Be sure they do not start to twist on you, either.

Be sure to adjust overhang to be equal on all sides.



When constructing your kit, be sure to keep all blocks level, square, and plumb. Use a four foot level and check often. Starting on a level foundation is key. When gluing blocks together, be sure not to use too much adhesive - this will cause the blocks to "swim." A small bead is ideal.

BUILD WITH DAKOTA


SWS-10416

Seat Wall with Piers

		REVISIONS
		REMARKS
	MM/DD/YY	
1	06/04/15	2 SKU and QR update
2	--/--/--	...
3	--/--/--	...
4	--/--/--	...
5	--/--/--	...



Be sure to cenetr this top cap. Keep it square!



Be sure to keep your piers plumb. Be sure they do not start to twist on you, either.

When constructing your kit, be sure to keep all blocks level, square, and plumb. Use a four foot level and check often. Starting on a level foundation is key. When gluing blocks together, be sure not to use too much adhesive - this will cause the blocks to "swim." A small bead is ideal.

Dakota Stone™

**BUILD WITH
DAKOTA**

SWS-10416

Seat Wall with Piers

REVISIONS

	MM/DD/YY	REMARKS
1	06/04/15	2 SKU and QR update
2	--/--/--	...
3	--/--/--	...
4	--/--/--	...
5	--/--/--	...

05